

MOTUS O dance theatre
"ALICE"

TECHNICAL REQUIREMENTS FOR THEATRES

- CREW: 1 Lighting Board Operator, 1 Audio Operator
- STAGE: A clean level stage with suitable surface for dance.
Suggested dimensions: 24' deep x 24' wide and a ceiling of 15';
wing space 5' each wing
Rear white cyclorama (if available).
- AUDIO: If performed with CD only:
1 CD Player
House Speakers and Mixer (as appropriate)
2 Monitors (1 downstage right; 1 downstage left)
PCC microphones on apron floor for vocal pick-up
Clearcom system
- LIGHTING: **Can be done with general stage lighting only.**
If available:
One (R51) front of house wash
One onstage (R51) front wash
One blue (R68) back wash
One shin wash (R01 - stage right, R51 -stage left)
Four colour cyc (R122, R120, R123, R74)
One red (R26) back wash
One cool side wash (boom) (R99)
One cool side wash (boom) (R70)
Two footlights
Three or four colour ground row, same colour as cyc
One very small 'down' special (3' dia) upstage centre
Curtain warmers if there is a front curtain
Blue lights for backstage crossovers and or changes
Mirror ball and mirror ball lights
Strobe lights
UV lights
- DRESSING
ROOMS: Two small or one large for 4 people with mirrors, chairs, tables, lights
- TECHNICAL
SET-UP: Two hours minimum (with house crew) prior to show if lights and soft goods are all pre-hung.
- STRIKE: One hour with house crew